

**TGA, TG/DTA
TESTING & ANALYSIS SERVICE**

For Laboratory Use Only

Received date :
 Ref. no. : TGA/B/202___/
 Quotation no. :
 Date completed :
 Tested by : Mr. Zaidi | Ms. Ain
 Instrument : TGA 4000 | TGA 6 | TG/DTA

APPLICANT INFORMATION

NAME :
 ADDRESS :

CONTACT NO. :
 EMAIL :

SAMPLE INFORMATION

Type of samples¹
 polymers and plastics
 biomaterial
 nanomaterial
 oil/fuel
 solid
 liquid
 others

PAYMENT METHOD

e-Pay
 Purchase Order (PO)

DETAILS OF ANALYSIS

No.	Sample ID	Temperature Range (Min: 30°C, Max: 900°C)	Scan rate, °C/ min	Remarks

CONFIRMATION OF USING SERVICE

Applicant signature : _____

Date : _____

RESEARCH FUND INFORMATION

(1) Service charge as follow. For latest charge please refer to Chemistry Department Central Facility Website: cenfac.um.edu.my

Equipment	Price (RM/sample)	
	Collaboration	Outside UM
TGA, TG/DTA	130	150

- (2) Payment of service charge and method of payment is described in the quotation that will be provided to the user.
 (3) Invoice will be issued by the Division of Investment, Treasury Department, University of Malaya for the purpose of claiming payment for services that have been offered.
 (4) Results of analysis will be available for collection only after the Department of Chemistry has received any document that proved the payment has been made.

I hereby agree to make the payment in accordance to the quotation issued by the Department of Chemistry, Faculty of Science, University of Malaya, Kuala Lumpur

AUTHORISED PERSONNEL & :
COMPANY OFFICIAL STAMP

DATE :

COMPANY REGISTRATION NO :
GST ID (if applicable) :

IMPORTANT INFORMATION

- Sample weight must be approximately 20mg.
- Range of temperature allowed in the range 30- 900 °C.

For any queries please contact:

Resource person	Name	Phone	Email
Assistant Science Officer	Mohd Zaidi Kamaruzaman	03-7967 7022 ext: 2126	eidiaz69@um.edu.my
Assistant Science Officer	Nurul Ain Hasani	03-7967 7022 ext: 2119	ain88@um.edu.my
Science Officer	Nur Izzati Abdol Rasul	03-7967 4067	n_izzati@um.edu.my

FD-L4-6 TGA ROOM
CHEMISTRY LABORATORY BUILDING
Chemistry Department
Faculty of Science
University of Malaya
50603 Kuala Lumpur, Malaysia

FD-L4-4 MATERIAL SCIENCE POLYMER LABORATORY
CHEMISTRY LABORATORY BUILDING
Chemistry Department
Faculty of Science
University of Malaya
50603 Kuala Lumpur, Malaysia