

APPLICATION FORM

Received date

FORM Α Page 1 of 2

PXRD TESTING & ANALYSIS

For Laboratory Use Only

- /	SERVICE	Ref. no. Quotatio Date con	npleted :
	APPLICANT INFORMATION		SAMPLE INFORMATION
NAME	:	Type of samples ☐ powder ☐ thin film	
SUPERVISO	SUPERVISOR :		
MATRIX NO	Please (√) at the relevant box: □ RESEARCH ASSISTANT □ UNDERGRADUATE / PROJECT STUDENT □ POSTGRADUATE (Master/PhD) □ OTHERS (Postdoctoral/lecturer)		
CONTACT N	O. :		
EMAIL	:		
	DETAIL	S OF ANALYSIS	
No.	Sample name	Scan range	Remark

CONFIRMATION OF USING SERVICE						
Applicant signature :		Date :				



APPLICATION FORM

FORM A
Page 2 of 2

RESEARCH FUND INFORMATION

(1) For HIR, please issue Journal Transfer Form and complete the form. Send a copy of completed form to pXRD laboratory. For Internal Grant (UMRG, PPP,BKP,.) and External Grant (SCIENCE Fund, FRGS,.)

Please do fund transfer to

Account : BUKU PETUNJUK JABATAN KIMIA J-21030-UM.0000003/KWJ.NP.BP

Revenue Code : H724001

Description : Usage of PXRD instrument Amount : As per service charge

(2) Service charge as follow. For latest charge please refer to Chemistry Department Central Facility Website: cenfac.um.edu.my

	Price (RM/sample/scan)		Remark
Equipment	Chemistry	Faculties	
	Department	within UM	
PXRD	50	150	Normal temperature setting

- (3) The print-out Invoice Commitment must be approved by Supervisor and Head of Department.
- (4) Please submit together with the application form.

We agree to make the payment in accordance to the service charge issued by Department of Chemistry, Faculty of Science, University of Malaya

RESEARCH GRANT NAME : RESEARCH GRANT NO. :

SUPERVISOR'S SIGNATURE : DATE :

& OFFICIAL STAMP

IMPORTANT INFORMATION

- 1. Samples can be in powder (00.1-1g) or thin film form (2cm x 2 cm with <2mm thickness).
- Powder samples must be finely grinded and thin film samples should have area coated wide enough on the surface.
- 3. Analysis is only for normal room temperature.
- 4. Maximum time per scan per sample is 2 hours.

For any queries please contact:

Resource person	Name	Phone	Email
Science Officer	Muhammad Fauzan Zainudin	03-7967 7022 ext. 2539	fauzan@um.edu.my

FD-2-GF PXRD LABORATORY
CHEMISTRY NEW BUILDING
Chemistry Department
Faculty Of Science
University Of Malaya
50603 Kuala Lumpur, Malaysia